## Datasheet and description



# Avide LED Integrated Tri-proof fixture 40W 4000K 1.2m

**Product code:** ATPF-LED-40W

**Brand link:** avidelighting.com/qr/ATPF-LED-40W

**ID:** AB-190518

**Company name:** Bramcke Hungary Kft.

Company address: Kishatár utca 17., 4031 Debrecen



**Date of issue:** 2024-05-19

**Page:** 1/3

#### **SPECIFICATIONS**

EAN code: 5999097916507

Warranty: 4year(s)
Material: ABS

Working temperature: -20C° - + 50C° Packaging: 1/b 8/c 72/p

Certifications: CE

#### **TECHNICAL DETAILS**

Wattage: 40W

Voltage: AC180-265V

Beam angle: 120° Dimmability: No

Lumen output: 3 800lm
Color temperature: 4 000K
Lifetime: 25 000h

Energy class:

Type of LED: SMD2835

CRI: 80
IP standard: IP65
Number of clips: 10pcs

### **PICTURE**



## Datasheet and description



## Avide LED Integrated Tri-proof fixture 40W 4000K 1.2m

**Product code:** ATPF-LED-40W

**Brand link:** avidelighting.com/qr/ATPF-LED-40W

**ID:** AB-190518

**Company name:** Bramcke Hungary Kft.

Company address: Kishatár utca 17., 4031 Debrecen



**Date of issue:** 2024-05-19

Page: 2/3

#### **PRODUCT SIZE**

 Width:
 1 200mm

 Height:
 105mm

 Depth:
 1 200mm

#### **CARDBOARD BOX**

EAN: 5999097916507 Packaging: 1/b 8/c 72/p

Dimensions: 110mm x 90mm x 1 210mm

Net weight: 1 600g Gross weight: 1 900g

#### **CARTON**

EAN: 5999097916514 Packaging: 1/b 8/c 72/p

Dimensions: 360mm x 245mm x 1 220mm

Net weight: 12.8kg Gross weight: 15.2kg

### **PALLET EXAMPLE**

Height:

Width: 120cm (std Euro pallet)

Mepth: 80cm (std Euro pallet)

Cartons per pallet: 9carton/pallet

Cartons per row:

Net weight: 115.2kg
Gross weight: 136.8kg

#### PRODUCT PICTURE



#### PRODUCT OUTLINE



# Datasheet and description



# Avide LED Integrated Tri-proof fixture 40W 4000K 1.2m

**Product code:** ATPF-LED-40W

**Brand link:** avidelighting.com/qr/ATPF-LED-40W

**ID:** AB-190518

**Company name:** Bramcke Hungary Kft.

**Company address:** Kishatár utca 17., 4031 Debrecen



**Date of issue:** 2024-05-19

**Page:** 3/3

### **PRODUCT DESCRIPTION**