

## Avide Exit Light ALU recessed with horizontal sign IP20

**Product code:** AEXITL-IP20-RE  
**Brand link:**  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen

**QR code:**  
**Date of issue:** 2025-01-15

**Page:** 1/3

### SPECIFICATIONS

**EAN code:** 5999097951768  
**Warranty:**  
**Color:**  
**Material:**  
**Working temperature:**  
**Packaging:** 1/b 6/c 180/p  
**Certifications:**  
**Accessories:** Self-adhesive stickers

### TECHNICAL DETAILS

**Wattage:** 1W  
**Voltage:** 3.6V  
**Beam angle:**  
**Dimmability:** No  
**Lumen output:** 30lm  
**Color temperature:**  
**Lifetime:** 50 000h  
**Energy class:**  
**Type of LED:** DIP  
**Number of LEDs:**  
**Battery type:** Ni-Cd 3-6V, 500mAh  
**Emergency light:** 180min  
**Recharge time:** 24h  
**IP standard:** IP20

### BOX PICTURE



## Avide Exit Light ALU recessed with horizontal sign IP20

**Product code:** AEXITL-IP20-RE  
**Brand link:**  
**ID:** AB-190518  
**Company name:** Bramcke Hungary Kft.  
**Company address:** Kishatár utca 17., 4031 Debrecen

**QR code:**  
**Date of issue:** 2025-01-15


**Page:** 2/3

### PRODUCT SIZE

Width: 365mm  
Height: 100mm  
Depth: 238mm

### PRODUCT PICTURE

### PRODUCT OUTLINE



### CARDBOARD BOX

**EAN:** 5999097951768  
**Packaging:** 1/b 6/c 180/p  
**Dimensions:**  
**Net weight:** 416g  
**Gross weight:** 485g

### CARTON

**EAN:** 5999097951775  
**Packaging:** 1/b 6/c 180/p  
**Dimensions:**  
**Net weight:** 2.496kg  
**Gross weight:** 2.91kg

### PALLET EXAMPLE

**Height:**  
**Width:** 120cm (std Euro pallet)  
**Meprh:** 80cm (std Euro pallet)  
**Cartons per pallet:** 30carton/pallet  
**Cartons per row:**  
**Net weight:** 74.88kg  
**Gross weight:** 87.3kg

## Avide Exit Light ALU recessed with horizontal sign IP20

**Product code:** AEXITL-IP20-RE

**Brand link:**

**QR code:**

**ID:** AB-190518

**Date of issue:** 2025-01-15

**Company name:** Bramcke Hungary Kft.

**Company address:** Kishatár utca 17., 4031 Debrecen

**Page:** 3/3

### PRODUCT DESCRIPTION

The Avide LED exit light is an edge-lit product with adhesive pictograms and 1 W output providing constant light. Back-up time in the case of a power failure is 180 minutes.

It can be mounted in four different ways (the sign can be mounted on the wall and ceiling alike and can also be rotated 90 °).

- suspended from a chain (80 cm)
- mounted on the ceiling
- mounted on a vertical wall in two different ways. Note that the product may also be mounted laterally with the set provided!

Contents of the box: light fixture, clear acrylic sheet, lateral mounting kit, 80 cm suspension chain, two types (horizontal, 45 °) of direction indicating arrows, pictograms with figure running to the right and left, complete instructions for use and installation in English and Hungarian.